


Want a toll processor
that's **“neutral”**
about where you source
your steel coils?



Think of us as
Switzerland.

Source from any mill: FerrouSouth has affiliations with them all, not just one.




Buy coils from any mill, anytime.

Because FerrouSouth is an independent toll processor we are a “neutral party”— we can work with any mill you choose. We have relationships with all the mills in the South which gives you the flexibility to purchase from whoever best suits your needs at the time. Maybe we should change our name to FerrouSwitzerland.

Centrally located easily accessible.

FerrouSouth is within a stone’s throw of all the mills in the South. So pick your source, we’ll handle the rest.



PROXIMITY TO FERROUSOUTH

NUCOR/Decatur	80 miles
SDI/Columbus	122 miles
NUCOR/Hickman	142 miles
NUCOR/Tuscaloosa	148 miles
USS/Fairfield	150 miles
Big River Steel/Osceola	169 miles
AM/NS/Calvert	309 miles
SSAB/Axis	334 miles
USS/Granite City	340 miles
NUCOR Gallatin/Ghent	373 miles



We make shipping simple.

Our location, directly at the port of the Tennessee River and the Tombigee Waterway, is in the traffic lanes of steel commerce in the South. We give you a full range of competitive shipping options including barge, rail and truck.

Store here, process here.

Not only is FerrouSouth independent, we offer you the most versatile hot rolled toll processing capabilities in the South. Slitting from .054”– .625”. Leveling from .054” up to .565” x 96”. Stretcher leveling up to .565” x 96”. Even UM plate. Ship direct to our facility for storage and on demand processing.

With FerrouSouth, your operations will run like... a Swiss clock.

We deliver the best slit edge in the industry, superior flatness and memory free sheets for problem free processing.

FerrouSouth can help make your operations more efficient and more profitable while giving you complete sourcing flexibility. Now that’s something to yodel about.


A Ferragon Company
FERROUSOUTH
www.ferrousouth.com
 662-424-0115



LEVELING

	Heavy Gauge	Light Gauge	Narrow Width
Gauge Range	.135" - .565"	.054" - .165"	.125" - .565"
Width Range	30" - 96"	24" - 72"	4" - 29"
OD Inbound	40" - 80"	40" - 80"	30" - 72"
ID Inbound	20" - 32"	20" - 32"	18" - 30"
Weight	80,000 lbs.	60,000 lbs.	20,000 lbs.
Length	60" - 720"	30" - 288"	60" - 480"
Pack Height	up to 18" incl. skid	up to 18" incl. skid	12"
Pack Weight	40,000 lbs. max	40,000 lbs. max	20,000 lbs. max

STRETCHER LEVELING

	Gauge	Width	Length	Elongation	Stretching Force
	.135" - .565"	30" - 96"	60" - 720"	2% max	2,200 tons max
	.054" - .165"	24" - 72"	30" - 288"	2% max	1,000 tons max

TYPICAL MEMORY FREE FLATNESS

Incoming Shape	Yield Strength	Outgoing Shape
≤ 100 I-Units	≤ 70,000 psi	≤ 5 I-Units
> 100 I-Units	≤ 70,000 psi	x 20 improvement
≤ 100 I-Units	> 70,000 psi	≤ 8 I-Units
> 100 I-Units	> 70,000 psi	x 10 improvement

SLITTING

	Light Gauge		Heavy Gauge	
	Inbound	Outbound	Inbound	Outbound
Gauge	.054" - .250"	.054" - .250"	.125" - .625"	.125" - .625"
Width	15" - 60"	2" - 60"	15" - 76"	4" - 72"
OD	36" - 80"	36" - 76"	36" - 80"	36" - 76"
ID	20" - 32"	20" or 24"	20" - 32"	24" or 30"
Weight	80,000 lbs.	60,000 lbs.	80,000 lbs.	80,000 lbs.

Mults by Gauge

Gauge	.054	.125	.250	.375	.500	.565	.625
50 ksi	16	14	12	8	5	4	2
80 ksi	16	14	12	8	4	3	2

A Ferragon Company

FERROUSOUTH

www.ferroussouth.com

662.424.0115